



**CITY OF SAN MARCOS  
STANDARD PRODUCTS LIST**

SPL No. WW-622  
Sheet 1 of 1

for

**MISCELLANEOUS GRAY IRON CASTINGS**

**ISSUED: 09/01/2014**

**REVISED: 09/27/2017**

**DESCRIPTION:** Gray Iron Castings, ASTM A48 Class 30B minimum, for valve boxes and bases, sanitary sewer cleanouts and other municipal construction castings as ordered.

APPROVAL DATE	MANUFACTURER	PRODUCT IDENTIFICATION/COMMENT
9/27/2017	EJ (formerly East Jordan Iron Works) 216 East 6th Street San Angelo, TX 76903	Cleanout Out Ring and Cover: assembly - 48502001 cover - 48502045 frame - 48502010  Lid for Valves: water - 06800001 sewer - 06888822 reclaimed - 06800028  See note below
11/8/2001	CALCUTTA FOUNDRY, LTD SIGMA CORP. P.O. Box 300 Cream Ridge, NJ 08514	Screw Type Valve Box See note below
9/27/2017	PLPL FOUNDRY (INDIA) STAR PIPE PRODUCTS 4018 Westhollow Pkwy. Houston, TX 77082	VB-0001 - 2 Piece Standard Screw Type Valve Box See note below
10/1/2004	VICTORY IRON WORKS, LTD (INDIA) ACCUCAST 415 South 21st Avenue Waco, TX 76706	See note below
9/27/2017	Neenah Foundry 2121 Brooks Avenue Neenah, WI 54956	Cleanout Out Ring and Cover: R-1977 Lid for Valves: R-1968 See note below

**NOTE:**

See note below

1. Must be in compliance with above description with City of San Marcos Details and construction specifications. Machined surfaces shall be true to dimensions shown; no principal dimension shall vary by more than 1/8" from dimension given on Standard Detail. Rocking or interference in fit between interchanged frame and covers is unacceptable.
2. Lid must say "Water" for water lines, "Sewer" for wastewater lines or "Reclaimed" for reclaimed water.