



NOTE: P.V.C. PIPE, 45° BEND AND 45° WYE WILL BE THE SAME SIZE AS SERVICE LINE PER NOTE 2

NOTES:

1. THIS DETAIL IS NOT FOR ANY LOCATION THAT WILL HAVE TRAFFIC LOADS.
2. THIS STANDARD IS ONLY FOR LATERALS 8" OR LESS AND ALL FITTING AND PIPE FOR CLEANOUT WILL BE THE SAME SIZE AS LATERAL.
3. TRENCH SHALL BE COMPACTED AND RESTORED AS PER STANDARD DETAIL 510S-S&L-SM.
4. CLEAN OUT WILL BE LOCATED IN R.O.W. OR WASTEWATER EASEMENT.

REFERENCES

DETAIL 503S-7W-SM
 DETAIL 510S-S&L-SM

The City of San Marcos Engineering and Capital Improvements		CURRENT AS OF 1/1/2021	WASTEWATER CLEANOUT	
RECORD COPY SIGNED BY	6/2/2017	THE ARCHITECT/ENGINEER ASSUMES RESPONSIBILITY FOR APPROPRIATE USE OF THIS STANDARD.		STANDARD NO. 520S-4A-SM
Laurie Moyer, P.E.	ADOPTED			1 OF 1